

Extreme power packs.

With high chain speeds of up to 13m/sec the Bosch range of chainsaws have the speed and power to cut through the toughest wood quickly and cleanly. All the models come complete with a quick stop kick back brake and are well balanced for comfortable use at any angle.



AKE 40-19 PRO

NEW!


Sturdy all-rounder.

For occasional cutting fruit trees or sawing fire-wood and branches, these new Bosch chainsaws are the right equipment for the job. Available in a variety of sizes they offer great value for money. A full range of accessories is also available.



AKE 40

NEW!




Sharper for longer
The three-layer chrome coating on the chain surface ensures a long service life. (AKE PRO)



Tool-free with Bosch SDS
3 steps, no tool – changing and tensioning the chain has never been so easy.



Practical carrying case
Convenient and safe transportation and large enough to store additional accessories. (Carry case supplied with AKE PRO.)



More stability thanks to a firm hold
7 steel gripping teeth hold the saw firmly on the wood for increased stability when sawing.

Optimised saw chain

Narrow chain profile and high chain speed (9 m/sec) for fast, precise cutting.

Practical sharpening set



Regular sharpening guarantees fast, clean cuts.

Automatic oil lubrication

Long service life with minimised chain wear due to automatic oil lubrication with oil-level indicator.

Ergonomic handling

The all-round handle ensures a firm hold for accurate working at any angle.



Chainsaws

Chainsaws



	AKE 40-19 PRO	AKE 35-19 PRO	AKE 40-18 S	AKE 35-18 S
Motor power	1900 W	1900 W	1800 W	1800 W
Bar length	400 mm	350 mm	400 mm	350 mm
Chain speed	13 m/sec	13 m/sec	12 m/sec	12 m/sec
Bosch SDS	✓	✓	✓	✓
Chain	3-layer chrome extra-long life chain	3-layer chrome extra-long life chain	Chrome chain	Chrome chain
Weight (including chain and bar)	4.8 kg	4.6 kg	4.4 kg	4.3 kg
Carrying case	✓	✓	-	-
Part no.	0 600 836 842	0 600 836 742	0 600 836 C42	0 600 836 B42
EAN code	3165140.349871	3165140.349840	3165140.400855	3165140.400817



	AKE 40	AKE 35	AKE 30
Motor power	1600 W	1600 W	1600 W
Bar length	400 mm	350 mm	300 mm
Chain speed	9 m/sec	9 m/sec	9 m/sec
Bosch SDS	-	-	-
Chain	Chrome chain	Chrome chain	Chrome chain
Weight (including chain and bar)	4.1 kg	4 kg	3.9 kg
Carrying case	-	-	-
Part no.	0 600 834 072	0 600 834 071	0 600 834 070
EAN code	3165140.395922	3165140.395915	3165140.395908

Accessories	Part no.	EAN code
Chain bar and 1.3 mm chain for AKE 40-19 PRO	F 016 800 242	3165140.357678
Chain bar and 1.3 mm chain for AKE 35-19 PRO	F 016 800 241	3165140.357661
Chain bar and 1.1 mm chain for AKE 40-18 S	F 016 800 261	3165140.396509
Chain bar and 1.1 mm chain for AKE 35-18 S	F 016 800 260	3165140.396493
1.3 mm saw chain for AKE 40-19 PRO	F 016 800 240	3165140.357654
1.3 mm saw chain for AKE 35-19 PRO	F 016 800 239	3165140.357647
1.1 mm saw chain for AKE 40-18 S	F 016 800 258	3165140.396479
1.1 mm saw chain for AKE 35-18 S	F 016 800 257	3165140.396462

Accessories	Part no.	EAN code
Sharpening set for AKE 40-19 PRO, AKE 35-19 PRO	F 016 800 263	3165140.396523
Sharpening set for AKE 40-18 S, AKE 35-18 S	F 016 800 262	3165140.396516
Chainsaw oil (1 l), biodegradable*	2 607 000 181	3165140.070867
Chainsaw oil (5 l), biodegradable*	F 016 800 111	3165140.268615
Cable guard*	2 601 398 012	3165140.069465
Gloves*	2 607 000 134	3165140.017954
Safety goggles*	F 016 800 178	3165140.349390
Ear protectors SNR 19, soundproofing level 19 dB(A)*	2 607 990 042	3165140.093712
Ear protectors SNR 24, soundproofing level 24 dB(A)*	2 607 990 043	3165140.093729

Accessories	Part no.	EAN code
Chain bar and 1.1 mm chain for AKE 40	F 016 800 261	3165140.396509
Chain bar and 1.1 mm chain for AKE 35	F 016 800 260	3165140.396493
Chain bar and 1.1 mm chain for AKE 30	F 016 800 259	3165140.396486
1.1 mm saw chain for AKE 40	F 016 800 258	3165140.396479
1.1 mm saw chain for AKE 35	F 016 800 257	3165140.396462
1.1 mm saw chain for AKE 30	F 016 800 256	3165140.396455
Sharpening set for AKE 40, AKE 35, AKE 30	F 016 800 262	3165140.396516

Accessories	Part no.	EAN code
Chainsaw oil (1 l), biodegradable*	2 607 000 181	3165140.070867
Chainsaw oil (5 l), biodegradable*	F 016 800 111	3165140.268615
Cable guard*	2 601 398 012	3165140.069465
Gloves*	2 607 000 134	3165140.017954
Safety goggles*	F 016 800 178	3165140.349390
Ear protectors SNR 19, soundproofing level 19 dB(A)*	2 607 990 042	3165140.093712
Ear protectors SNR 24, soundproofing level 24 dB(A)*	2 607 990 043	3165140.093729

* For all chainsaws.


Europe's best-selling quiet shredder.

Bosch Quiet Shredders have achieved an extremely high level of customer satisfaction for over 10 years. Whether with the cutting drum mechanism or the spiral cutting system – Bosch Quiet Shredders impress with their quality, durability and high performance. And they are so quiet that they have been awarded the “Blue Angel”.



Maximum power at the blade.

The design of the Bosch Powerdrive motor™ gives incredible cutting power at start-up and makes the RAPID shredders lightweight and manoeuvrable.



The cutting drum mechanism
With a torque of 595 Nm, the cutting drum mechanism offers extremely high power for the thickest and hardest wood. (AXT 2200 HP)

The spiral cutting system
With a torque of 99 Nm, the spiral cutting system is the optimum solution for normal requirements. (AXT 2000 HP)

Bosch automatic feed
The branches are pulled in and shredded without recoil and without the need for pushing the shredding material through.

High-performance planetary gears
Developed by Bosch for long life, optimum power transmission and smooth running.

Superior cutting force
Approximately seven times more cutting power at start up than that of conventional blade shredders.

Patented hopper
Innovative patented hopper design and practical plunger for up to 40% quicker material throughput

Quiet shredders



AXT 2200 HP

AXT 2000 HP

Motor power	2200 W	2000 W
Cutting system	Cutting drum mechanism	Spiral cutting system
Voltage	230 V	230 V
Cutting speed	40 rpm	260 rpm
Cutting capacity	dia. 3.8 cm	dia. 3.8 cm
Torque	approx. 595 Nm	approx. 99 Nm
Material throughput rate	approx. 140 kg/h	approx. 115 kg/h
LWA noise emission level	84 dB(A)/< 91 dB(A)*	84 dB(A)/< 91 dB(A)*
Weight	25 kg	22 kg
Part no.	0 600 852 042	0 600 851 442
EAN code	3165140.222181	3165140.222150

RAPID Shredders



AXT RAPID 200

AXT RAPID 180

Motor power	2000 W	1800 W
Cutting system	Cutting blade	Cutting blade
Voltage	230 V	230 V
Cutting speed	3650 rpm	3650 rpm
Cutting capacity	dia. 3.8 cm	dia. 3.3 cm
Torque	approx. 14 Nm	approx. 12 Nm
Material throughput rate	approx. 90 kg/h	approx. 80 kg/h
LWA noise emission level	103 dB(A)/< 107 dB(A)**	103 dB(A)/< 107 dB(A)**
Weight	12 kg	11.5 kg
Part no.	0 600 853 142	0 600 853 042
EAN code	3165140.314879	3165140.314831

Accessories	Part no.	EAN code
Collection bag	2 605 411 073	3165140.080514
Lubricant spray 250 ml (in box of 20)	1 609 200 399	3165140.005029
Gloves	2 607 000 134	3165140.017954
Safety goggles	F 016 800 178	3165140.349390

***Noise emission/acoustic power**
84 dB(A): measured with fresh wood, < 91 dB(A): measured by the “Blue Angel” test method (RAL UZ 54) using dry wood, 92dB(A) guaranteed noise emission level: measured according to “2000/14/EC”.

Accessories	Part no.	EAN code
Collection bag	2 605 411 073	3165140.080514
Lubricant spray 250 ml (in box of 20)	1 609 200 399	3165140.005029
Replacement blade (AXT RAPID)	F 016 800 164	3165140 324267
Gloves	2 607 000 134	3165140.017954
Safety goggles	F 016 800 178	3165140.349390

**** Noise emission/acoustic power**
103dB(A): measured by the test method (RAL UZ 54) using dry wood, 106/107dB(A) guaranteed noise emission level: measured according to “2000/14/EC”.

Attack the dirt in style.

Bosch high pressure washers - high power, outstanding durability and ease of use. Exceptionally powerful motors with up to 2800 Watts guarantee high performance. High-quality metal pumps ensure long service life.



AQUATAK 160 PRO X

Easy to transport with lightweight, upright design

Best nozzle performance due to high-quality metal pump

Wide range of accessories supplied


Integrated detergent tank



AQUATAK 115 PLUS




Brass piston guide
Rustproof back flow valve



High-pressure spring
Stainless steel piston

Durable brass lances
Sturdy brass ensures a particularly long service life even at maximum pressure. (AQUATAK 160 PRO X)



Vario-Jet-Fan
Variable adjustment from high-pressure to low-pressure and from fan spray to a single jet.



Integrated detergent tank
For stubborn dirt, simply fill with detergent and set the lance to low-pressure.

Extremely powerful

The oscillating jet of the roto nozzle dissolves even the most stubborn dirt in seconds.

Practical and space-saving

Thanks to its fold-away handle, the AQUATAK 110 can be carried anywhere effortlessly.

High-quality pump

The powerful Bosch Metal Pump ensures top performance and a long service life.

Flexi-Jet lance


360° rotating ball head joint for convenient cleaning in hard-to-reach areas.



+50% POWER



COMFORT



METAL PUMP

HIGH QUALITY



COMPACT

PRO

POWER



AQUATAK	160 PRO X	150 PRO X	150 PRO	1500 X	1350	1250	1200 PLUS
Max. pressure	160 bar	150 bar	150 bar	150 bar	135 bar	125 bar	120 bar
Max. flow rate	600 l/h	550 l/h	550 l/h	530 l/h	500 l/h	400 l/h	390 l/h
Max. flow temperature	60 °C	60 °C	60 °C	60 °C	60 °C	60 °C	60 °C
Motor power	2800 W	2700 W	2700 W	2400 W	2400 W	1800 W	1750 W
Autostop	✓	✓	✓	✓	✓	✓	✓
Weight (without accessories)	29.1 kg	27.5 kg	26 kg	19 kg	16 kg	13.5 kg	13 kg
Part no.	0 600 877 C70	0 600 877 B70	0 600 877 A70	0 600 875 142	0 600 874 142	0 600 873 142	0 600 876 F70
EAN code	3165140.338950	3165140.338882	3165140.338813	3165140.339421	3165140.339353	3165140.339278	3165140.348997

AQUATAK	115 PLUS	110 PLUS	110	100 PLUS	100	10
Max. pressure	115 bar	110 bar	110 bar	100 bar	100 bar	100 bar
Max. flow rate	380 l/h	380 l/h	360 l/h	350 l/h	330 l/h	300 l/h
Max. flow temperature	40 °C	40 °C	40 °C	40 °C	40 °C	40 °C
Motor power	1700 W	1600 W	1600 W	1500 W	1400 W	1300 W
Autostop	✓	✓	✓	✓	✓	✓
Weight (without accessories)	7 kg	7 kg	7 kg	6 kg	6 kg	6 kg
Part no.	0 600 876 E70	0 600 876 D70	0 600 876 C70	0 600 876 B70	0 600 876 A70	0 600 876 G70
EAN code	3165140.338745	3165140.338684	3165140.338622	3165140.338561	3165140.338509	3165140.370035

Accessories/equipment supplied


Vario-Jet-Fan lance	✓ (brass)	✓	✓	✓	✓	✓	✓
Roto-Power lance	✓ (brass)	✓	✓	✓	✓	✓	✓
Flexi-Jet lance	-	-	-	✓	✓	✓	✓
Wash brush	-	-	-	-	-	-	✓
Hose	12 m (rubber)	12 m (rubber)	12 m (rubber)	9 m (rubber)	6 m	6 m	6 m
Hose reel	✓	✓	-	✓	-	-	-
Integrated tank	1 x 3 l	2 x 1.5 l	1 x 3 l	1 x 1.3 l	1 x 1.3 l	1 x 1.3 l	separate 0.5-l bottle

Accessories/equipment supplied

Vario-Jet-Fan lance	✓	✓	✓	✓ (Jet-Fan nozzle)	✓ (Jet-Fan nozzle)	✓ (Fan nozzle)
Roto-Power lance	✓	✓	✓	✓ (Roto nozzle)	-	-
Flexi-Jet lance	✓	✓	✓	✓	✓	-
Wash brush	✓	✓	-	✓	-	-
Hose	6 m	5 m	5 m	5 m	3.5 m	3.5 m
Integrated tank	1 x 0.75 l	1 x 0.75 l	separate 0.5-l bottle	separate 0.5-l bottle	separate 0.5-l bottle	separate 0.5-l bottle

Why get wet when you can stay dry!

The Bosch AQUASURF Patio Cleaner ensures that surfaces can be cleaned without spraying water everywhere. And it saves a lot of time: with its closed dome and its two high-pressure water nozzles, it cleans three times as fast as the standard jet lance. The optimum solution for all requirements – whether driveways, patios, walls or garage doors.



AQUASURF Patio Cleaner

Part no. F 016 800 169
EAN code 3165140.349055

Accessories	For AQUATAK	Part no.	EAN code
Fan nozzle	10	F 016 800 253	3165140.370448
Jet-Fan nozzle	100, 100 PLUS	F 016 800 202	356763
Roto nozzle	10, 100, 100 PLUS	F 016 800 204	356787
Extension lance	10, 100, 100 PLUS	F 016 800 206	356800
Detergent nozzle with bottle	10, 100, 100 PLUS	F 016 800 208	356824
Vario-Jet-Fan-Power lance	110, 110 PLUS, 115 PLUS	F 016 800 185	350204
Vario-Jet-Fan-Power lance	1200 PLUS	F 016 800 186	350211
Vario-Jet-Fan-Power lance	1250	F 016 800 187	350228
Vario-Jet-Fan-Power lance	1350	F 016 800 188	350235
Vario-Jet-Fan-Power lance	1500 X, 150 PRO, 150 PRO X	F 016 800 189	350242
Roto-Power lance	110, 110 PLUS, 115 PLUS, 1200 PLUS	F 016 800 191	350266
Roto-Power lance	1250	F 016 800 192	350273
Roto-Power lance	1350	F 016 800 184	350198
Roto-Power lance	1500 X, 150 PRO, 150 PRO X	F 016 800 190	350259
Wash brush	All*	F 016 800 209	356831
Fixed rotary brush	All*	F 016 800 210	356848
Adjustable rotary brush	All*	F 016 800 211	356855
Flexi-Jet-Power lance	All*	F 016 800 171	349048
7 m hose extension	All**	F 016 800 212	356862
10 m hose extension	All**	F 016 800 213	356879
8 m drain cleaner	All*	F 016 800 214	356886
15 m drain cleaner	All*	F 016 800 216	356909
Sandblaster	All*	F 016 800 218	356923
Power gun extension	All*	F 016 800 220	356947
Water filter	All	F 016 800 221	356954
Back flow valve	All	F 016 800 222	356961
AQUASURF Patio Cleaner	All*	F 016 800 169	349055
Universal adapter set	High-pressure washers from other manufacturers	F 016 800 198	350334
Adapter for Kärcher accessories	All*	F 016 800 226	357005
Vario-Jet-Fan-Power lance Brass	160 PRO X	F 016 800 193	350280
Brass Roto-Power lance	160 PRO X	F 016 800 195	350303
Adjustable rotary brush	160 PRO X	F 016 800 194	350297
7 m hose extension	160 PRO X, 150 PRO X	F 016 800 196	350310
Drain cleaner	160 PRO X	F 016 800 228	357029
Sandblaster	160 PRO X	F 016 800 197	350327

Detergents	For AQUATAK	Part no.	EAN code
Alloy-wheel cleaner 0.75 l	All	F 016 800 229	3165140.357036
Insect remover 0.75 l	All	F 016 800 230	357043
Car cleaner 0.5 l	All	F 016 800 236	357616
Cleaning wax 2.5 l	All	F 016 800 233	357586
Cleaning wax 0.5 l	All	F 016 800 234	357593
Patio cleaner 0.5 l	All	F 016 800 237	357623
Glass cleaner 0.5 l	All	F 016 800 235	357609
Plastic cleaner 0.5 l	All	F 016 800 238	357630
All-purpose cleaner 2.5 l	All	F 016 800 231	357562
All-purpose cleaner 0.5 l	All	F 016 800 232	357579

* Except for AQUATAK 160 PRO X.

** Except for AQUATAK 160 PRO X, 150 PRO X.

Bosch Garden Tools: more power, more convenience – and more time for what's important.

The extent to which you can enjoy your time in the garden also depends on how you are supported in maintaining it. Tool concepts from Bosch are there to help you. They make a lot of things easier, more convenient and efficient and ensure that you have more time to enjoy your garden.



Tested and guaranteed

Extensive, continuous endurance-testing and production line sampling ensure that only perfect products leave the Bosch factory. Our comprehensive 2 year guarantees on all Bosch products are proof of our confidence in our quality control procedures. The only exclusion is damage caused by excessive or improper use.



Certified quality

Bosch quality can be measured by our success in satisfying various national and international standards, test procedures and design competitions. Our success is independently confirmed time and time again by the many awards that our products win.



Confirms our compliance with EU directives on product safety and electromagnetic interference.



The ISO 9000 standard for international quality certification.



The Blue Angel symbol is awarded to products which are particularly environmentally friendly.



Honoured by the Industrial Forum for Design, Hanover.



Award for excellent achievement in industrial design from the North Rhine-Westphalian Design Centre.



Honoured by the Design Centre Stuttgart.

The Bosch DIY range: versatile and innovative

Bosch Power Tools are international best sellers - for a very good reason. Our DIY range provides state-of-the-art technology and superb quality. Constant innovations aim to make the job easier and continually provide the DIY enthusiast with the opportunity to tackle new projects. Detailed information is available to our trade partners.

